

Poulcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
Anti-Infectives					
1	Amidac	Each ml Amikacin 250 mg	E.coli, Salmonella etc.	10 mg / kg b.wt.S/C or I/M injection	10 ml, 50 ml & 100 ml
2	Bremulin 80	Tiamulin Hydrogen Fumerate : 80%	CRD	Prevention: 19-25 mg/kg B.Wt in drinking water for 2 days at an interval of 3-4 weeks. Treatment : 38-50mg /kg b.wt in drinking water for 3-5 days	1 Kg Pet Jar
3	Tilmotil	Each ml contains : Tilmicosin (as phosphate) : 250 mg	CRD	15-20 mg per Kg body weight .	240 ml Pet bottle
4	CRDnil	Each ml Tylosin tartarate 100 mg	CRD	10 mg / kg b.wt. I/M injection	100 ml
5	Zydaquin	Each gm Flumequine 100 mg	As a brooder antibiotic, E.coli Salmonella etc.	In drinking water 100 mg per kg b. wt.	100 g
6	Enrodac-10	Each ml contains --Enrofloxacin 100 mg	CRD, and diseases caused by G+ & G- bacteria	Prevention: 1ml per 4-8 lt of DW Treatment: 1ml per 2 lt of DW	100 ml, 500ml, 1 lt & 5 lt
7	Oxytetracycline injection Long Acting	Oxytetracycline dihydrate 200 mg /ml in 2-pyrrolidone vehicle system	Infectious Coryza, Mixed bacterial infections	Single subcutaneous injection 0.25 ml / kg b.wt.	50 ml vial
8	Vetclin-112	Each gm contains --Tetracycline hydrochloride-112 mg	Mixed bacterial infections, Spirochaetosis Early chick mortality,	In drinking water: Prevention: 5 g per 20 lit Treatment : 5 g per10 lit	100 g, 500 g
9	Enrodac BH-20	Each ml contains: Enrofloxacin-200 mg & Bromhexine-15 mg	To treat and prevent CRD & CCRD	1 ml for a of 20 kg b.wt. for 3-5 days continuously in DW	1 ltr & 5 ltr
10	Vetclin Total	Each ml contains: Neomycin-100 mg & Doxycycline-100 mg	To prevent early chick mortality & multiple infections	For prevention: 1 g / 5-10 ltr of DW For treatment: 1 g / 2-4 ltr. of DW for 3-5 days	20 gm & 250 g

Poulcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
11	Oriprim	Sulphamethoxzole & Trimethoprim	To treat coryza and other bacterial infections	1 g in 2-4 ltr. of Drinking water	100 g
12	Biotrim	Each ml contains : Sulphadiazine-200 mg, Trimethoprim-40 mg	Coryza, Fowl Cholera, E.coli,Coccidiosis, Salmonella etc.	25-30 mg/kg b wt. or 1 ml/2-4 ltr of DW for 3-5 days	100 gm
13	Lemasol-P	Levamisole HCL-30%	Deworming and Immunomodulation	30 mg/kg b. wt. deworming 7.5-15 mg /kg b.wt for immunomodulation	250 gm & 1 kg
14	Amoxisol	Amoxicillin 50 % w/w	Dermatitis, NE, Salmonellosis, Early chick	40 mg of Amoxisol/kg body weight	50 gm
15	Rancox	Each 100 g contains : Sulfaquinoxaline 108.7 g Diavardine (as HCL) 3.3 gm	Prevention and treatment	1g/ltr of DW	100 gm
Anthelmintic					
16	Knock-45	Each 100 ml contains --Piperazine hydrate 45 g	Large round worm infestation	Under 6 weeks:100 ml/400 birds Over 6 weeks: 100 ml/200 birds	500 ml, 5 lt
Anti-Coccidial					
17	Kadiprol	Each 100 g contains -- Amprolium hydrochloride 25 g, Vitamin K3 250 mg	Coccidiosis	500 g / ton of feed 25 gm / 30 lit of drinking water	500 g & 1 kg
Liver Tonics					
18	Enliv - HP	Herbal ingredients	Liver stimulant, Protective & Liver restorative functions	250 gm / ton of feed	10 kg
19	Liver Up	Herbal ingredients	Liver stimulant, Protective & Liver restorative functions	5-10 ml/100 birds	500 ml, 5 lt

Poulcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
Growth Promoters					
20	V-max	Virginiamycin-50%	For growth promotion, better production and improving feed efficiency	Broilers 20 gm / ton of feed Layers & Breeders : 20-40 gm/ton of feed	1 kg
21	CHQ-60	Halquinol 12% w/w	Checks loose droppings	Layers: 500g / ton of feed Broilers: 250g / ton of feed	1kg
22	CT Star	Acidulated Chlortetracycline HCL-15%	For growth promotion and prevention of mixed infection	1 kg/3 ton of feed	25 kg
23	Econella	Colistin Sulfate-10%	For prevention of G-ve bacteria	1 g/5-10 lt of drinking water or 50-200 g/ton of feed	200 g & 1 kg
24	Butygut	Coated Sodium Butyrate-90%	For intestinal development	Prestarter & Starter 150- 200 g / ton of feed Finisher 100 g / ton of feed Layers : 100-200 g / ton of feed Breeders :250-300 g/ ton of feed	25 kg (1 kg X 25)
Multivitamin Injection :					
25	Hivit	Multivitamin Injection	Anti stress and supportive	1m/kg.b.wt or as per dilution with antibiotics	100 ml
Nutritionals					
26	Valuemin-G	Organic chelated minerals, lysine methionine & Selenium	Improves growth In summer to compensate for less feed intake In convalescing period to recover growth and FCR	Through drinking water Broilers :5-10 ml/100 birds Layers :10-20 ml/100 birds Breeders : 20-30 ml/100 birds	1 ltr & 30 Ltr
27	Cadiplex Forte WSG	Vitamin B-Complex, Biotin, Choline, Lysine & Methionine	Improves metabolism, growth, FCR & production	1 - 2 gm / 100 birds	20 gm X 10
28	Cadiplex -L	Vitamin B -complex & Lysine	Improves metabolism, growth, FCR & production	10 - 20 ml / 100 birds in drinking water	5 lt

Poultcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
29	Mightycal	Organic chelated calcium, Iron, Vit D3 & Vit B12	Support growth & weight gain	2 ml for 100 chicks 4 ml for 100 growers & broilers	100 ml & 1 ltr
30	Mightycal Granules	Microcrystalline Hydroxyapatite Complex (MCHC) Ca & P Vitamin D3, B12, Mg & Mn	Egg Quality Enhancer & Skeleton Developer	500 g – 1 Kg per ton of feed	5 kg
31	Cadisol Plus	Calcium D saccharate Iron & Vitamins D3 & B12	Egg Quality Enhancer & Skeleton Developer	Chicks:10ml /100 birds, Broilers: 20ml/100 birds,	100ml, 500ml 1 ltr & 5 ltr
32	Calmight	Ca, P, Vit. D3 & B12	For Egg Shell Quality & lameness	Through drinking water for 100 birds : Chicks : 20 ml Broilers : 20 ml Layers & Breeders : 100 ml	5 lt
33	Supplimin - TM	Trace minerals	Metabolic functions and to improve production performance	Broilers & Layers: 1 kg / ton of feed Breeders: 1.5 - 2kg / ton of feed	20 kg
34	Supplevite-M	Major vitamins & minerals	Supports production & Prevents nutritional deficiencies	Layers: 2.5 kg / ton feed, Broilers & Breeders: 5 kg/ ton feed	5 kg
35	Supplevite-M Forte	Concentrated vitamins & minerals	Supports production & Prevents nutritional deficiencies	2.5 kg / ton feed	5 kg
36	Vitatone-LM	Vitamins A, D3, E & C with Lysine & Methionine	Multiple stress, Growth & Production	2-5 ml / 100 birds daily in drinking water	500 ml & 1 lt
37	C - Lyte	Electrolytes & Vit. C	To Nurture chicks with electrolytes & combat heat stress	1 gm / 1- 2 ltr of drinking water 1 kg / ton fo feed	1 kg
38	Supplevite Premix	Composite blend of Essential vitamins	To meet metabolic and production needs	250 gm/ton of feed	30 kg (5 kg x 6)

Poulcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
Enzyme					
39	Poultase	Highly concentrated blend of 12 enzymes	To improve feed digestibility	350 gm/ton of feed	25 kg (25 x 1kg)
40	Enzyfeed-P 2500 Granules	Phytase 2500 IU / gm	Cleave phytate bond Calcium, Phosphorus other nutrients	Chick, grower & broiler 200 gm / ton of feed Laying hens: 120 gm / ton of feed	25 kg (25 x 1kg)
41	Enzyfeed-P 5000 Granules	Phytase 5000 IU / gm		Laying hens: 60 gm Chick, grower & broiler 100 gm / ton feed Breeders: 500 gm / ton of feed	25 kg (25 x 1kg)
Anti-CRD					
42	Winmyco	Tylosin phosphate - 10% granules	CRD & NE	Broilers: 200 gm / ton of feed Layers: 200 gm - 500 gm / ton of feed	25 kg (25 x 1kg)
43	Frankolin	Tiamulin Fumerate : 10 %	CRD	1 g/2.5-5 liter of drinking water or 200g / ton of feed	1 kg
Anti-Gout					
44	Nephroclean	Extracts of herbs with litholytic, uricosuric, antibacterial, laxative & antiinflammatory property	Gout prevention and treatment	For 100 birds per day: Chicks : 5 ml & Adult :20 ml	500 ml & 1 ltr
Anti-Mycotoxicosis					
45	Toxiwin - Bio	MOS, Oxine Copper, activated charcoal, HSCAS, Sodium bentonite, Organic acids & Bacillus Subtilis	Multiple toxin binder and mould inhibitor. Effective binding of bacterial and chemical toxins.	500 gm -1 kg / ton of feed	20 kg
46	Toxiwin	Hydrated Sodium Calcium Alumino Silicates (HSCAS)	Binds Aflatoxins and other mycotoxins	500 g /ton of feed	10 kg

Poulcare Products

Sr. No.	Product Name	Composition	Major Indications	Administration	Presentation
---------	--------------	-------------	-------------------	----------------	--------------

Immunomodulator

47	Supermune WSP	Selenium, VitaminE , VitaminC & Biotin	For immunity & better vaccine response	Broilers: 5 g per 50 birds in drinking water	200 g
----	---------------	--	--	--	-------

Probiotics

48	Improve MS	Bacterial and yeast probiotic	Gut health enhancer, Growth, FCR	Chicks : 1 g / 50- 100 birds Adult : 10m g / 200 birds In feed: 50-100 g / ton of feed	100 g & 500 g
----	------------	-------------------------------	----------------------------------	--	---------------

49	Improval Gold	Each gm contains: Saccharomyces cerevisiae: 1.5 x 10 ⁸ CFU Lactobacillus sporogenes: 50 million CFU Protein content : minimum 50% Grown on Soyabean & MGM Fortified with enzymes including Phytase, Cellulase, Xylanase & Pectinase	Optimises feed conversion & improves production	500g - 1 kg / ton of feed	20 Kg (1 kg X 20)
----	---------------	---	---	---------------------------	-------------------